USB TYPE-C® CABLE

Flex Charge CC | Petrol | 1 m

USB 2.0 / 240W



€29.99 RRP incl. VAT

Product number	**D1C9576**
EAN	**4003635095768**

HIGHLIGHTS

- EPR - Extended Power Range (48V/5A)
- E-marker chip for the safety of connected devices
- 24kt gold plated contacts
- patented anti-kink plug
- 30 years warranty**
- German Patent

DESCRIPTION

Discover our **USB Flex Charge CC** - the ultimate USB charging cable that takes performance, speed and quality to a new level. This high-quality USB-C to USB-C cable impresses with outstanding functionality and durable materials.

- **Own patent**: The specially developed and patented anti-kink plug guarantees increased durability.
- **Powerful power supply**: Supports ultra-fast charging with up to 240W charging power - ideal for smartphones, tablets, laptops and other USB-C devices.
- **Premium materials for maximum reliability**: The inner conductor made of **oxygen-free copper (OFC)** guarantees loss-free data transmission, while the robust **TPE jacket** ensures flexibility and durability.
- **Power Delivery 3.1 support**: Enables 240W charging power, ideal for powerful devices such as laptops, monitors and gaming hardware, with improved safety and universal compatibility.
- **Intelligent communication and safety**: Enables precise identification of current, data transfer speed and cable specifications thanks to the integrated **eMarker chip** - protects devices from overcurrent and overheating and optimizes the performance of modern USB-C devices.

Oehlbach Kabel GmbH
Lise-Meitner-Str. 9, 50259 Pulheim, Germany
Tel. +49 2234 9374 370
info@oehlbach.de · oehlbach.com

With its elegant design and anti-kink plug, the USB Flex Charge CC is the ideal choice for anyone who demands the highest standards of quality and durability.

Experience the perfect connection - with Oehlbach!

TECHNICAL DATA

Weight	0.1 kg
Length	250 mm
Width	140 mm
Height	15 mm
Colour	Petrolblue
Max. Ladeleistung	240 W
Inner conductor material	OFC - oxygen-free copper
Connector material	TPE
Plug type 1	USB Type-C
Connection type	Data
Quality level	Excellence
Shielding construction	1 x aluminium foil + 1 x copper braiding
Plug type 2	USB Type-C
Shielding	Effective dual shielding
cable length	1 m
cable material	TPE
Signal direction	IN/OUT
cable geometry	Round
Transmission rate	480 Mbps

OTHER VARIANTS

VARIANT	PRODUCT NUMBER	EAN	RRP INCL. VAT
Colour: Petrol, Length: 2 m	D1C9577	4003635095775	€39.99

Oehlbach Kabel GmbH
Lise-Meitner-Str. 9, 50259 Pulheim, Germany
Tel. +49 2234 9374 370
info@oehlbach.de · oehlbach.com

GALLERY









Oehlbach Kabel GmbH
Lise-Meitner-Str. 9, 50259 Pulheim, Germany
Tel. +49 2234 9374 370
info@oehlbach.de · oehlbach.com