

## Pulse AB | anthracite | 1 m

Product number D1C9375
Weight 0.102kg
Length 225mm
Width 140mm
Height 20mm



## Product description

Discover our **USB Pulse AB** - the optimal USB cable that takes performance to a new level despite its length. This high-quality USB-A to USB-B cable impresses with impeccable functionality and durable materials

- High-quality USB cable with USB-A to USB-B plug: Equipped with an inner conductor made of OFC (oxygen-free copper) for maximum conductivity and signal quality. The robust plastic sheath made of TPE ensures flexibility, durability and resistance to mechanical stress. Perfect for demanding applications in the office or studio.
- Also available in long lengths without compromising on quality: Available in lengths of up to 10 meters, thanks to the high-quality materials and workmanship, the signal quality remains stable even with longer cable runs. Ideal for setups where longer distances need to be bridged.
- Effective 2-fold shielding and data transmission up to 480 Mbps: Double shielding reduces electromagnetic interference (EMI) and ensures interference-free data transmission, even in environments with many electrical devices. Supports full speed according to USB 2.0 standards.
- Perfect contact reliability with high-quality metal plug and 24-carat gold-plated contacts: The gold-plated contacts minimize corrosion and optimize signal transmission. The sturdy metal plugs ensure a secure hold and frequent plugging and unplugging without wear.
- Optimal for connecting peripherals such as printers or mixing consoles: Universally compatible with USB-A and USB-B devices, ideal for professional applications in recording studios, offices or home setups. Supports smooth connections for reliable work and creative projects.

With its elegant design in **anthracite** and the many length variants, the USB Pulse AB is the ideal choice for anyone who demands length and durability without compromising on quality.



## **Product properties**

Product Category USB cable, Data cable Inner conductor material OFC - oxygen-free copper

Features 24kt gold plated contacts, High quality anodised aluminium, 30 years warranty\*\*

Plug type 2 USB-B
Colour Anthracite
Quality level Performance
Connection type Audio, Data

**Shielding construction** 1 x aluminium foil + 1 x copper braiding

Connector material solid metal plug

Shielding Effective dual shielding

cable length1 mcable materialTPESignal directionIN/OUT

Plug type 1 USB 2.0 Type A

cable geometryRoundTransmission rate480 Mbps



## More images

