SATELLITE CABLE

Transmission Plus S | 2.20 m

€54.99 RRP incl. VAT

Product number **D1C2831**

EAN **4003635028315**



HIGHLIGHTS

- 24kt gold plated contacts
- Reliable contact
- 30 years warranty**
- German Technology

DESCRIPTION

Preassembled digital satellite cable for the transmission of high-resolution audio and image data. The inner conductor used in this very well-made satellite cable is manufactured from oxygen-free copper (OFC); its fourfold shielding means that it is particularly suited for the transmission of sensitive HDTV signals!

TECHNICAL DATA

Weight	0.28 kg
Length	250 mm
Width	145 mm
Height	40 mm
Product Category	antenna cable
Shielding effectiveness	120 dB
Inner conductor material	OFC - oxygen-free copper
Characteristic impedance	Eliminates high-frequency irradiation
capacity	52 pF/m
Screen resolution	1080p Full HD, 4K UHD 50/60 Hz
Plug type 2	Antenna F
Quality level	Performance
Plug type 1	Antennas F-connector
Connection type	Audio, Video
Shielding	Quadruple shielding
cable length	2.20 m
Signal direction	IN/OUT
cable geometry	Round
Colour	White
Shielding construction	2 x aluminium foil + 2 x copper braiding

Oehlbach Kabel GmbH
Lise-Meitner-Str. 9, 50259 Pulheim, Germany
Tel. +49 2234 9374 370
info@oehlbach.de · oehlbach.com

OTHER VARIANTS

VARIANT	PRODUCT NUMBER	EAN	RRP INCL. VAT
Length: 1.70 m	D1C2830	4003635028308	€42.99
Length: 3.20 m	D1C2832	4003635028322	€64.99
Length: 5.10 m	D1C2833	4003635028339	€86.00
Length: 75 cm	D1C2836	4003635028360	€36.49
Length: 1.20 m	D1C2837	4003635028377	€40.49

Oehlbach Kabel GmbH
Lise-Meitner-Str. 9, 50259 Pulheim, Germany
Tel. +49 2234 9374 370
info@oehlbach.de · oehlbach.com

GALLERY






OEHLBACH
PERFORMANCE
SATELLITENKABEL
TRANSMISSION PLUS S