ANTENNA CABLE

Transmission Plus | 1.20 m

€40.49 RRP incl. VAT

Product number **D1C2817**

EAN **4003635028179**



HIGHLIGHTS

- 24kt gold plated contacts
- Reliable contact
- 30 years warranty**
- German Technology

DESCRIPTION

Prefabricated digital antenna cable for transmitting high-definition audio and image data. The inner conductor used in this very well-made antenna cable is manufactured from oxygen-free copper (OFC); its fourfold shielding means that it is particularly suited for the transmission of sensitive HDTV signals!

TECHNICAL DATA

Weight	0.195 kg
Length	250 mm
Width	145 mm
Height	40 mm
Product Category	antenna cable
Shielding effectiveness	120 dB
Inner conductor material	OFC - oxygen-free copper
Characteristic impedance	Eliminates high-frequency irradiation
capacity	52 pF/m
Plug type 1	antenna male
Screen resolution	1080p Full HD
Quality level	Performance
Shielding	Quadruple shielding
cable length	1.20 m
Plug type 2	Anntenna female
Signal direction	IN/OUT
cable geometry	Round
Colour	White
Connection type	Video
Shielding construction	2 x aluminium foil + 2 x copper braiding

Oehlbach Kabel GmbH
Lise-Meitner-Str. 9, 50259 Pulheim, Germany
Tel. +49 2234 9374 370
info@oehlbach.de · oehlbach.com

OTHER VARIANTS

VARIANT	PRODUCT NUMBER	EAN	RRP INCL. VAT
Length: 1.70 m	D1C2810	4003635028100	€42.99
Length: 2.20 m	D1C2811	4003635028117	€54.99
Length: 3.20 m	D1C2812	4003635028124	€64.99
Length: 5.10 m	D1C2813	4003635028131	€86.00
Length: 7.50 m	D1C2814	4003635028148	€115.00
Length: 10 m	D1C2815	4003635028155	€142.00
Length: 75 cm	D1C2816	4003635028162	€36.49

GALLERY

