



Shape Magic UHD 40 | white | 3 m

OEHLBACH Shape Magic UHD 40 - 8K Ultra High-Speed HDMI® 2.1 cable, 48 Gbit/s. For 8K/60Hz, 4K/120Hz, HDR, eARC, VRR and Dolby Atmos - ideal for gaming and.

Product number D1C42538

Weight 0.28kg

Length 225mm

Width 140mm

Height 25mm



Product description

The Shape Magic 40 UHD is a high-quality processed Ultra High-Speed HDMI® cable. The special feature of this cable are the 40 degree angled connectors, which are ideal for laterally positioned HDMI® sockets on TV sets. Due to the design of the Shape Magic 40 UHD, several cables can be positioned on top of each other without any problems. The cable offers stunning quality in 8K at 50/60 Hz or 4 K at up to 120 Hz. In addition, the high-quality OFC conductor, the triple shielding and the 24 carat gold-plated contacts of the full metal connector, ensure ideal data transmission.



Product properties

Transmission standard	Ultra High Speed HDMI
Inner conductor material	OFC - oxygen-free copper
4K/8K	4K - 120Hz, 8K
Product Category	HDMI cable
Features	24kt gold plated contacts, 30 years warranty**, German Technology
Audio format	DTS-HD Master Audio, DTS:X, Dolby TrueHD, 5.1 DTS HD, Dolby Atmos
Lizenzen	x.v.Color - Additional Color Space, HDMI EN 2
HDMI Features	VRR - Variable Refresh Rate, QFT - Quick Frame Transport, Dynamic HDR, High-Speed-HDMI@-cable, HEC - HDMI@ with Ethernet channel, 30/36/48-bit Deep Color, eARC - Enhanced Audio Return Channel, QMS - Quick Media Switching, 32 digital audio channels, Auto Low Latency Mode, CEC 2.0, 3D TV, HDMI 2.1 certified, Dolby Vision, Video compression DSC 1.2, HDR - High Dynamic Range Image
Plug type 2	HDMI
Shielding	triple shielding
Screen resolution	1080p Full HD, 8K UHD 60Hz, UHD 4K UHD 120Hz, 4K UHD 50/60 Hz, 4K-3D 50/60 Hz
Quality level	Performance
Shielding construction	2 x aluminium foil + 1 x copper braiding
Transmission rate	48 Gbps
Connection type	Audio, Video
cable length	3 m
Signal direction	IN/OUT
Plug type 1	HDMI
cable geometry	Round
Colour	White



More images

