



## Black Magic MKII | 5 m | black

OEHLBACH Black Magic MKII - 8K Ultra High-Speed HDMI® 2.1 cable, 48 Gbit/s. For 8K/60Hz, 4K/120Hz, HDR, eARC, VRR and Dolby Atmos - ideal for gaming and.


**Product number** D1C92496

**Weight** 0.14kg

**Length** 225mm

**Width** 140mm

**Height** 30mm



### Product description

Ready for the future in 8K (60Hz) - Oehlbach Ultra High Speed HDMI® Cable Black Magic MKII. This HDMI cable certified by the HDMI organization is made for crystal clear pictures and sound for movies and games in 4K (with up to 120Hz and HDR10 Plus) and is also ready for the 8K standard. To do so, it has a bandwidth of 48 Gbit/s and supports all important audio formats in home entertainment. For interference-free and loss-free signal transmission with triple shielding, an inner conductor made of OFC copper and equipped with 24 carat gold-plated plug contacts.



## Product properties

|                                 |   |
|---------------------------------|---|
| <b>Transmission standard</b>    | Ultra High Speed HDMI   |
| <b>Inner conductor material</b> | OFC - oxygen-free copper  |
| <b>4K/8K</b>                    | 4K - 120Hz, 8K  |
| <b>Product Category</b>         | HDMI cable  |
| <b>Features</b>                 | 24kt gold plated contacts, 30 years warranty**, German Technology   |
| <b>Audio format</b>             | DTS-HD Master Audio, Dolby True HD, DTS:X, 5.1 DTS HD, Dolby Atmos  |
| <b>Lizenzen</b>                 | x.v.Color - Additional Color Space, HDMI EN 2   |
| <b>HDMI Features</b>            | VRR - Variable Refresh Rate, QFT - Quick Frame Transport, Dynamic HDR, High-Speed-HDMI@-cable, HEC - HDMI@ with Ethernet channel, 30/36/48-bit Deep Color, eARC - Enhanced Audio Return Channel, QMS - Quick Media Switching, 32 digital audio channels, Auto Low Latency Mode, CEC 2.0, 3D TV, HDMI 2.1 certified, Dolby Vision, Video compression DSC 1.2, HDR - High Dynamic Range Image |
| <b>Plug type 2</b>              | HDMI  |
| <b>Colour</b>                   | Black   |
| <b>Shielding</b>                | triple shielding  |
| <b>Screen resolution</b>        | 1080p Full HD, 8K UHD 60Hz, UHD 4K UHD 120Hz, 4K UHD 50/60 Hz, 4K-3D 50/60 Hz   |
| <b>Quality level</b>            | Performance   |
| <b>Shielding construction</b>   | 2 x aluminium foil + 1 x copper braiding  |
| <b>Transmission rate</b>        | 48 Gbps   |
| <b>Connection type</b>          | Audio, Video  |
| <b>cable length</b>             | 5 m   |
| <b>Connector material</b>       | solid metal plug  |
| <b>Signal direction</b>         | IN/OUT  |
| <b>Plug type 1</b>              | HDMI  |
| <b>cable geometry</b>           | Round   |



More images

