USB 4.0 GEN2×2 TYPE C - TYPE C

USB Evolution CC | 5 m

20 Gbps / 60 W

€179.00 RRP incl. VAT



Product number	**D1C9434**
EAN	**4003635094341**

HIGHLIGHTS

- 24kt gold plated contacts
- PVC Free
- Reliable contact
- loss-free signal transmission
- 30 years warranty**

DESCRIPTION

The Oehlbach USB Evolution cable sets with its 24 carat gold-plated contacts an absolute guarantee for perfect contact security and a reliable connection. The 2-fold shielding completely eliminates all interference, while the robust metal plug ensures a firm grip. Thanks to the SPOFC (silver-plated oxygen-free copper) material, loss-free signal transmission is made possible. Additionally, the cable is characterized by its high flexibility, which makes it available in different lengths and with different connector variants.
With the USB 4.0 Gen2×2 specification, the Oehlbach USB Evolution cable meets the requirements of the latest technology and enables ultra-fast data transmission. Whether connecting peripherals or charging mobile devices, this cable guarantees a reliable and stable connection.

Oehlbach Kabel GmbH
Lise-Meitner-Str. 9, 50259 Pulheim, Germany
Tel. +49 2234 9374 370
info@oehlbach.de · oehlbach.com

TECHNICAL DATA

Weight	0.189 kg
Length	40 mm
Width	250 mm
Height	145 mm
Product Category	Data cable
Transmission rate	20 Gbps
Inner conductor material	SPC/OFC - silver-plated oxygen-free copper
Surface condition	24 carat gold-plated contacts
Plug type 1	USB Type-C
Connection type	Data
Quality level	Excellence
cable length	5 m
Shielding construction	1 x aluminium foil + 1 x copper braiding
Connector material	solid metal plug
Plug type 2	USB Type-C
Colour	Red
Signal direction	IN/OUT
cable geometry	Round
Shielding	Multiple shielding

OTHER VARIANTS

VARIANT	PRODUCT NUMBER	EAN	RRP INCL. VAT
Length: 2 m	D1C9429	4003635094297	€99.00
Length: 50 cm	D1C9430	4003635094303	€60.99
Length: 1 m	D1C9431	4003635094310	€65.99
Length: 3 m	D1C9433	4003635094334	€109.00

GALLERY

