HIGH END SPEAKER CABLE SET WITH CABLE LUGS

Fusion Four | 2 m

Bi-Wiring

€1,020.00 RRP incl. VAT



Product number **D1C14220**

EAN **4003635142202**

MADE IN GERMANY · 30 YEAR GUARANTEE · FULL METAL · HPOCC® INSIDE · 400 W

HIGHLIGHTS

- 24kt gold plated contacts
- Rigorous separation of signal routes
- Made in Germany
- 30 years warranty**
- Stereo speaker cable

DESCRIPTION

Pre-assembled with Oehlbach Fusion cable lug connectors, this top-class bi-wiring speaker cable continues to set standards in terms of high-fidelity sound characteristics.
It has been specially tuned for hi-fi purists and, in addition to a sophisticated technical concept, also offers a particularly unique product design.
The material of the inner conductor consists of the high-purity and absolutely oxygen-free HPOCC copper. This unique manufacturing process achieves almost monocrystalline transitions within the copper.
The cable construction is based on the consistent separation of the signal paths for the high and low frequency range and achieves a unique transmission quality.
Thus, 12 individually insulated copper strands were additionally wrapped with a wafer-thin copper foil. This unique concept in cable construction requires tremendous manufacturing precision with the main goal of achieving a delay correction between the high and low frequencies.
The low frequencies prefer the more solid inner conductor, while high frequencies tend to travel on the surface and have a higher velocity. The combination of inner conductor and foil results in an unprecedented natural and dynamic sound image.

Oehlbach Kabel GmbH
Lise-Meitner-Str. 9, 50259 Pulheim, Germany
Tel. +49 2234 9374 370
info@oehlbach.de · oehlbach.com

TECHNICAL DATA

Weight	1.454 kg
Length	260 mm
Width	260 mm
Height	80 mm
cable cross section	4 x 4,0 mm²
Colour	Black
cable length	2 m
Quality level	State of the Art
Plug type 1	2 x cable lug
Surface condition	24 carat gold-plated contacts
Connection type	Audio
Connector material	solid metal plug
Plug type 2	4 x cable lug
Signal direction	OUT
Product Category	Loudspeaker cable
Inner conductor material	HPOCC® – mono-crystalline oxygen-free copper inner conductor
cable material	fabric sheath
cable geometry	Round
Amplifier power	For amplifier performances of up to 400 watts

OTHER VARIANTS

VARIANT	PRODUCT NUMBER	EAN	RRP INCL. VAT
Length: 2.50 m	D1C14221	4003635142219	€1,140.00
Length: 3 m	D1C14222	4003635142226	€1,260.00

GALLERY





