HIGH END SPEAKER CABLE SET WITH BANANA PLUG

Fusion Four.4B | 3 m

Bi-amping



€1,380.00 RRP incl. VAT

Product number	**D1C14325**
EAN	**4003635143254**

MADE IN GERMANY · 30 YEAR GUARANTEE · FULL METAL · HPOCC® INSIDE · 400 W

HIGHLIGHTS

- 24kt gold plated contacts
- Rigorous separation of signal routes
- Made in Germany
- 30 years warranty**
- Stereo speaker cable
- Bi-amping loudspeaker cable

DESCRIPTION

This extra-class bi-amping loudspeaker cable preassembled with "Fusion" banana plugs continues to set standards for high-fidelity sound. This cable has been specially designed with hi-fi purists in mind and it offers a sophisticated technical concept in addition to a particularly discrete product design. The material used for the inner conductor consists of high-purity, oxygen-free HPOCC copper. Monocrystalline-like transitions are achieved within the copper thanks to the unique HPOCC manufacturing process applied. The cable has been structured to rigorously separate the treble and bass transmission routes and thus achieves a unique quality of transmission. Each of the twelve individually insulated copper wires has been wrapped in wafer-thin copper foil. This unique concept in cable construction requires a tremendous degree of precision in the manufacturing process with the main aim of achieving a time delay correction between the high and low frequencies. The low frequencies prefer the more solid inner conductor while the high frequencies tend to move along the surface at greater speeds. The combination of the inner conductor and foil results in an unprecedented natural and dynamic sound.

Oehlbach Kabel GmbH
Lise-Meitner-Str. 9, 50259 Pulheim, Germany
Tel. +49 2234 9374 370
info@oehlbach.de · oehlbach.com

TECHNICAL DATA

Weight	2.765 kg
Length	405 mm
Width	315 mm
Height	80 mm
cable cross section	4 x 4,0 mm²
Plug type 1	4 x banana plug
Colour	Black
Plug type 2	4 x banana plug
Quality level	State of the Art
Surface condition	24 carat gold-plated contacts

Connection type	Audio
cable length	3 m
Connector material	solid metal plug
Signal direction	OUT
Product Category	Loudspeaker cable
Inner conductor material	HPOCC® – mono-crystalline oxygen-free copper inner conductor
cable material	fabric sheath
cable geometry	Round
Amplifier power	For amplifier performances of up to 400 watts

OTHER VARIANTS

VARIANT	PRODUCT NUMBER	EAN	RRP INCL. VAT
Length: 2 m	D1C14323	4003635143230	€1,140.00
Length: 3.50 m	D1C14326	4003635143261	€1,559.00
Length: 4 m	D1C14327	4003635143278	€1,679.00
Length: 4.50 m	D1C14328	4003635143285	€1,799.00
Length: 5 m	D1C14329	4003635143292	€1,919.00

Oehlbach Kabel GmbH
Lise-Meitner-Str. 9, 50259 Pulheim, Germany
Tel. +49 2234 9374 370
info@oehlbach.de · oehlbach.com

GALLERY





Oehlbach Kabel GmbH
Lise-Meitner-Str. 9, 50259 Pulheim, Germany
Tel. +49 2234 9374 370
info@oehlbach.de · oehlbach.com