





4x (💽 () 📼

Uni-Direc-

torate

HIGH END SPEAKER CABLE SET WITH BANANA PLUG FUSION FOUR.4B

BI-AMPING

This extra-class bi-amping loudspeaker cable preassembled with "Fusion" banana plugs continues to set standards for high-fidelity sound. This cable has been specially designed with hi-fi purists in mind and it offers a sophisticated technical concept in addition to a particularly discrete product design. The material used for the inner conductor consists of high-purity, oxygen-free HPOCC copper. Monocrys-talline-like transitions are achieved within the copper thanks to the unique HPOCC manufacturing process applied. The cable has been structured to rigorously separate the treble and bass transmission routes and thus achieves a unique quality of transmission. Each of the twelve individually insulated copper wires has been wrapped in wafer-thin copper foil. This unique concept in cable construction requires a tremendous degree of precision in the manufacturing process with the main aim of achieving a time delay correction between the high and low frequencies. The low frequencies prefer the more solid inner conductor while the high frequencies tend to move along the surface at greater speeds. The combination of the inner conductor and foil results in an unprecedented natural and dynamic sound.

HPOCC* FULL INSIDE METAL	30 YEAR GUARANTEE GERMANY GOLD		
Connector material	solid metal plug		
Inner conductor material	HPOCC [®] – mono-crystalline oxygen-free copper inner conductor		
cable geometry	Round		
Features	30 years warranty, Made in Germany, 24kt gold plated con- tacts , Rigorous separation of signal routes, Stereo speaker cable , Bi-amping loudspeaker cable		
cable material	fabric sheath		

item no.	Length	Color	EAN	MSRP (19%)
14323	2 m	Black	4003635143230	1140.00€
14324	2.50 m	Black	4003635143247	1260.00€
14325	3 m	Black	4003635143254	1380.00€
14326	3.50 m	Black	4003635143261	1559.00€
14327	4 m	Black	4003635143278	1679.00€
14328	4.50 m	Black	4003635143285	1799.00€
14329	5 m	Black	4003635143292	1919.00€

