




2 x bana- 4 x bana-
na plugs na plugs



SIGNAL DIRECTION



HIGH END SPEAKER CABLE SET WITH BANANA PLUG

FUSION FOUR B

BI-WIRING

This extra-class bi-wiring loudspeaker cable preassembled with „Fusion“ banana plugs continues to set standards for high-fidelity sound. This cable has been specially designed with hi-fi purists in mind and it offers a sophisticated technical concept in addition to a particularly discrete product design. The material used for the inner conductor consists of high-purity, oxygen-free HPOCC copper. Monocrystalline-like transitions are achieved within the copper thanks to the unique HPOCC manufacturing process applied. The cable has been structured to rigorously separate the treble and bass transmission routes and thus achieves a unique quality of transmission. Each of the twelve individually insulated copper wires has been wrapped in wafer-thin copper foil. This unique concept in cable construction requires a tremendous degree of precision in the manufacturing process with the main aim of achieving a time delay correction between the high and low frequencies. The low frequencies prefer the more solid inner conductor while the high frequencies tend to move along the surface at greater speeds. The combination of the inner conductor and foil results in an unprecedented natural and dynamic sound.



Connector material	solid metal plug
Inner conductor material	HPOCC® – mono-crystalline oxygen-free copper inner conductor
cable geometry	Round
Features	30 years warranty, Rigorous separation of signal routes, German Technology, 24kt gold plated contacts , Stereo speaker cable , Made in Germany
cable material	fabric sheath
Cable diameter	13 mm

item no.	Length	Color	EAN	MSRP (19%)
14223	2 m	Black	4003635142233	1020.00 €
14224	2.50 m	Black	4003635142240	1140.00 €
14225	3 m	Black	4003635142257	1260.00 €
14227	3.50 m	Black	4003635142271	1439.00 €
14228	4 m	Black	4003635142288	1559.00 €
14229	4.50 m	Black	4003635142295	1679.00 €
14230	5 m	Black	4003635142301	1799.00 €

More information:

